

Seville Series | FEATURES & FINISHES | 36' Singles

EXTERIOR

1. Basement foundation walls are poured concrete with heavy duty damp proofing and a superior free draining membrane wrap.
2. Poured concrete front porches with upgraded brick ledge precast steps as per plans and elevations, loose precast concrete steps will be used when grading requires less than three (3) steps.
3. Poured reinforced concrete garage floor slab.
4. The walkway from the driveway to the front entry and the rear patio (where applicable) are of patterned precast slabs.
5. All exterior wall construction is designed to meet or exceed all Ontario Building Code requirements; exterior walls will be of 2" x 6" wall studs.
6. Basement walls will be insulated near full height to R-20.
7. Attic insulation will be blown in at R-60 and exposed floors will be spray foamed to R-31.
8. All window and doorframes and building perforations are caulked with Dymeric type caulking.
9. All windows (excluding basement) are Energy Star rated white or coloured vinyl thermal pane casement windows with pre-finished white or coloured colonial bars (on front elevations only), as per exterior colour scheme. All operable windows to have insect screens.
10. Metal insulated front entry door with inset glass pane lite complete with weather stripping, deadbolt lock and grip set.
11. Pre-finished aluminum soffits, fascia, eavestroughs and downspouts.
12. Premium moulded paneled sectional roll up garage doors in a variety of enhanced designs with inset door lites (as per plans and elevations) with long life hardware.
13. Front, rear and side yards are fully sodded (where applicable, side yards may be gravel in lieu of sod at builder's discretion) and driveways (where applicable) are paved.
14. Self sealing quality architectural asphalt roof shingles with manufacturer's limited life-time warranty.
15. Steep roof pitches to enhance elevations.
16. Antique-style black finish coach lights on front elevations.
17. Dead bolt locks for all exterior swinging doors to dwelling units.
18. Pre-finished, long lasting front porch railings (if required by design or grade).
19. Friezeboards on front elevations as per plans and brochures.
20. All brick veneer construction is 100% all clay brick, elevations also feature cultured stone, stucco, aluminum siding and traditional wood detailing as per plans and elevations.
21. Brick veneer installed above all windows on side and rear elevations (where applicable as per plans and elevations).
22. Architecturally controlled elevations, materials, streetscapes and exterior colour schemes for the purpose of creating an aesthetically pleasing community.

INTERIOR

23. Cold Cellars as per plans.
24. All archways are flat and trimmed (where applicable) for added durability and are 8' high for the main floor and 7'-8" in height for the second floor (where applicable).
25. All interior wood trim and woodwork is primed and painted (choice of one) Birch or Oyster.
26. Choice of (one) interior passage locks; satin nickel knobs or satin nickel lever handle with privacy locks for all bathrooms. Front door gripset(s) in satin nickel.
27. Choice of interior passage doors: smooth raised six panel square top or textured raised two panel curved top. Front exterior door and all main floor doors are 8' in height.
28. Ceiling for all main floor areas (excluding open to above areas) will have a smooth painted finish. Second floor areas (excluding bathrooms) will have a textured spray finish with smooth borders.
29. Quality latex paint on interior walls (two selections per home) from builder's samples.
30. All closets have pre-finished melamine shelving and metal dowels.
31. Elegant Builder's upgrade 1 quality constructed and furniture finished kitchen cabinetry with full backing, underblocking and quality hardware. Colour matched kickplates, full gable ends and dummy doors on peninsulas and islands, flush or raised breakfast bars (as per plans where applicable).
32. Builder's standard selection granite countertops in the kitchen and servery (where applicable) with drop in kitchen sink. Standard arborite countertops in the powder room and bathrooms.
33. Elegant 41 inch high upper kitchen cabinet doors with crown moulding.
34. Forty (40") tall mirrors above all vanities.
35. Colour matched ceramic accessories; towel bar, tissue dispenser and soap dish in all bathrooms.
36. Elegant natural finish oak railings, upgraded 3-1/2" newel posts and upgraded 1-3/4" oak pickets from first to second floor.
37. Master bedrooms complete with an ensuite bathroom as per plans.

38. All drywall applied with screws, using a minimum number of nails and drywall clips for upper hall ceilings to minimize repairs in the future.
39. All sub-floors are tongue and groove; nailed and glued down.
40. Roof truss beams with hurricane ties to minimize truss uplift and repairs in the future.
41. The first and second floor will be framed with an engineered wood floor joist system for optimum performance and quality.
42. Gas Fireplace and Wood Mantel as per plans and brochures.
43. Heavy upgraded colonial trim with 3" wide casing with integral backband and 5-1/4" high baseboards.
44. Quality imported ceramic main floor tiles in the foyer, kitchen, breakfast area, powder room, main or second floor laundry rooms and throughout the main hall, where applicable as per our brochures.
45. Elegant 3-1/4" wide natural finish oak plank flooring throughout the main floor and upper hallway (where applicable) except for those areas covered by ceramic tile (as per brochures).
46. Builder's upgrade 2 high quality broadloom for second floor areas not covered by plank flooring or ceramic tile as per brochures.
47. Quality imported ceramic tile on upstairs bathroom floors, bathtub and shower enclosure walls up to and including the ceilings (except for deck tubs which include the full height walls only).
48. Ceiling height on the main floor is 10 feet high with the second floor ceiling height of 9 feet high.
49. Poured concrete floor in the basement with a floor drain by the furnace and in the cold room(s) as per plan.

PLUMBING

50. Upgraded ledgeback double compartment stainless steel sink in the kitchen with upgraded Moen chrome finish single lever faucet with pullout spray.
51. Laundry rooms on the main or second floors have single basin laundry tubs mounted with full base cabinets and upper cabinets for storage above.
52. All laundry rooms have hot and cold water and drain provisions for future automatic clothes washer.
53. Exterior water taps, with inside shut-off valves, located at the rear of the house and in the garage or front of the house (where applicable).
54. White lavatory sinks, water closets and bathtubs.
55. Luxurious drop-in soaker bathtub for master bedroom ensuite as per plans and brochure.
56. Shower with prefabricated base and standard 2-panel framed acrylic door for family bath ensuite.
57. Premium Moen washerless chrome single lever faucets for all bathroom lavatory sinks with manufacturer's limited long-term warranty.
58. Moen chrome single lever pressure balance/temperature controlled shower faucets for safety and comfort.
59. All sinks and water closets have water shut-off valves for serviceability and convenience.
60. Full height shower backer board for ceramic tiles in all shower enclosures as per plan.
61. Efficient water saving water closets that comply with the most recent building codes.
62. Water supply and drain provisions for future dishwasher in the kitchen.
63. Rough-in drain provisions for future 3-piece washroom in the basement.

ELECTRICAL

64. All copper wiring throughout the home.
65. 200 amp. electrical service with circuit breaker panel with rough-in for electric car charger.
66. White Decora switches and plugs throughout the house.
67. Interior light fixtures in every room, hallway and walk-in closets excluding living rooms or great rooms where switched wall receptacles are provided for future lamps.
68. Recessed shower potlight in all separate shower stalls.
69. All bathroom electrical receptacles with a ground fault detector circuit for safety around water.
70. An exterior weatherproof electrical receptacle in the rear yard and front porch (where applicable).
71. Split-circuit electrical outlets above the kitchen counter for future small appliances.
72. Heavy Duty cable and receptacle for future stove and dryer.
73. Interconnected smoke alarms on each level including the basement as per the Ontario Building Code.
74. Carbon Monoxide Detector(s) as per the Ontario Building Code.
75. Electrical outlet(s) in the garage ceiling for future garage door opener(s).
76. Front door electric door chime.
77. Rough-in central vacuum system (dropped to the basement) with dedicated electrical outlet in the attached garages or basement where applicable.
78. Rough-in electrical wire for future dishwasher in the kitchen.

79. Two-speed white kitchen exhaust fan vented to the outside (6" in diameter).
80. All bathrooms (with or without windows) have exhaust fans vented to the outside.
81. High efficiency, spark ignition, forced air gas furnace with set-back thermostats for the greatest savings, reliability and quite comfort. High Efficiency Natural Gas fired Water Heater (on a rental basis).
82. All supply ducts and return air ducts are sized and ready for future central air conditioning.

SMART HOME AUTOMATION FEATURES

83. One (1) Smart Home Hub controller.
84. One (1) front door smart doorbell camera with 2-way talk function.
85. One (1) smart thermostat, centrally located to control heating and cooling that can save money on utility bills.
86. One (1) flood sensor to notify you in the case of a flood and prevent further damage to your home.
87. One (1) smart light wall switch.
88. One (1) year free of smart home remote access and full home Smart System support.
89. Pre-Construction design consultation.
90. On-site system configuration test, enrollment and demonstration.
91. Rough-in telecommunications/network wiring in all bedrooms, kitchen and the family room or great room.
92. Please see flyer or speak to our sales agent for more details.

WARRANTY

Starlane Home Corporation is a registered TARION Homebuilder in good standing and every new home is enrolled in the TARION warranty program and the warranty includes:

- The home is free from defects in material and workmanship for one (1) year.
- The home remains free from defects in material and workmanship on electrical, plumbing, heating delivery and distribution systems, exterior cladding, caulking, windows and doors, and the building envelope and basement remains free from water penetration for two (2) years.
- The home is warranted against all major structural defects for seven (7) years.

CERTIFIED MASTER BUILDER

Starlane Home Corporation has been awarded the Certified Master Builder designation by the Residential Construction Council of Central Ontario (RESCON), this designation is awarded on the basis of:

- Outstanding efforts in the areas of construction and customer service.
- Recipients have, and continue to exceed the provisions of the Ontario Building Code.
- Starlane Home Corporation has been recognized as an exceptional low-rise builder within the industry.



NOTES

- All illustrations are artist's concepts.
- The purchaser acknowledges that the floor plan may be reversed.
- The purchaser acknowledges that the specifications, landscaping, finishes and furnishings etc. in the model home(s) or sales offices may be for display purposes only and may not be of the similar grade or type or not necessarily included in the purchase of the home.
- The vendor reserves the right to substitute materials that are of equal or better quality.
- The purchaser acknowledges that variations in colour and shade uniformity may occur in finished materials, kitchen and vanity cabinets and floor and wall finishes due to normal production processes. E. & O. E.

Monaco Series | FEATURES & FINISHES | 40' Singles

EXTERIOR

1. Basement foundation walls are poured concrete with heavy duty damp proofing and a superior free draining membrane wrap.
2. Poured concrete front porches with upgraded brick ledge precast steps as per plans and elevations, loose precast concrete steps will be used when grading requires less than three (3) steps.
3. Poured reinforced concrete garage floor slab.
4. The walkway from the driveway to the front entry and the rear patio (where applicable) are of patterned precast slabs.
5. All exterior wall construction is designed to meet or exceed all Ontario Building Code requirements; exterior walls will be of 2" x 6" wall studs.
6. Basement walls will be insulated near full height to R-20.
7. Attic insulation will be blown in at R-60 and exposed floors will be spray foamed to R-31.
8. All window and doorframes and building perforations are caulked with Dymeric type caulking.
9. All windows (excluding basement) are Energy Star rated white or coloured vinyl thermal pane casement windows with pre-finished white or coloured colonial bars (on front elevations only), as per exterior colour scheme. All operable windows to have insect screens.
10. Metal insulated front entry door with inset glass pane lite complete with weather stripping, deadbolt lock and grip set.
11. Pre-finished aluminum soffits, fascia, eavestroughs and downspouts.
12. Premium moulded paneled sectional roll up garage doors in a variety of enhanced designs with inset door lites (as per plans and elevations) with long life hardware.
13. Front, rear and side yards are fully sodded (where applicable, side yards may be gravel in lieu of sod at builder's discretion) and driveways (where applicable) are paved.
14. Self sealing quality architectural asphalt roof shingles with manufacturer's limited life-time warranty.
15. Steep roof pitches to enhance elevations.
16. Antique-style black finish coach lights on front elevations.
17. Dead bolt locks for all exterior swinging doors to dwelling units.
18. Pre-finished, long lasting front porch railings (if required by design or grade).
19. Friezeboards on front elevations as per plans and brochures.
20. All brick veneer construction is 100% all clay brick, elevations also feature cultured stone, stucco, aluminum siding and traditional wood detailing as per plans and elevations.
21. Brick veneer installed above all windows on side and rear elevations (where applicable as per plans and elevations).
22. Architecturally controlled elevations, materials, streetscapes and exterior colour schemes for the purpose of creating an aesthetically pleasing community.

INTERIOR

23. Cold Cellars as per plans.
24. All archways are flat and trimmed (where applicable) for added durability and are and are 8' high for the main floor and 7'-8" in height for the second floor (where applicable).
25. All interior wood trim and woodwork is primed and painted (choice of one) Birch or Oyster.
26. Choice of (one) interior passage locks; satin nickel knobs or satin nickel lever handle with privacy locks for all bathrooms. Front door gripset(s) in satin nickel.
27. Choice of interior passage doors: smooth raised six panel square top or textured raised two panel curved top. Front exterior door and all main floor doors are 8' in height.
28. Ceiling for all main floor areas (excluding open to above areas) will have a smooth painted finish. Second floor areas (excluding bathrooms) will have a textured spray finish with smooth boarders.
29. Quality latex paint on interior walls (two selections per home) from builder's samples.
30. All closets have pre-finished melamine shelving and metal dowels.
31. Elegant Builder's quality constructed and furniture finished upgrade 1 kitchen cabinetry with full backing, underblocking and quality hardware. Colour matched kickplates, full gable ends and dummy doors on peninsulas and islands, flush or raised breakfast bars (as per plans where applicable).
32. Builder's standard selection granite countertops in the kitchen and servery (where applicable) with drop in kitchen sink. Standard arborite countertops in the powder room and bathrooms.
33. Elegant 41 inch high upper kitchen cabinet doors with crown moulding.
34. Fourty (40") tall mirrors above all vanities.
35. Colour matched ceramic accessories; towel bar, tissue dispenser and soap dish in all bathrooms.
36. Elegant natural finish oak stairs and railings with upgraded 3-1/2" newel posts and upgraded 1-3/4" oak pickets from first to second floor.

37. Master bedrooms complete with an ensuite bathroom as per plans.
38. All drywall applied with screws, using a minimum number of nails and drywall clips for upper hall ceilings to minimize repairs in the future.
39. All sub-floors are tongue and groove; nailed and glued down.
40. Roof truss beams with hurricane ties to minimize truss uplift and repairs in the future.
41. The first and second floor will be framed with an engineered wood floor joist system for optimum performance and quality.
42. Builder's standard Gas Fireplace and Wood Mantel as per plans and brochures.
43. Heavy upgraded colonial trim with 3" wide casing with integral backband and 7-1/4" high baseboards.
44. Quality imported ceramic main floor tiles in the foyer, kitchen, breakfast area, powder room, main or second floor laundry rooms and throughout the main hall, where applicable as per our brochures.
45. Elegant 3-1/4" wide natural finish oak plank flooring throughout the main floor (where applicable) except for those areas covered by ceramic tile (as per brochures). 3-1/4" wide natural finish oak plank flooring in the upper hall (as per brochures).
46. Builder's upgrade 2 high quality broodloom for second floor areas not covered by plank flooring or ceramic tile as per brochures.
47. Quality imported ceramic tile on upstairs bathroom floors, bathtub and shower enclosure walls up to and including the ceilings (except for deck tubs which include the full height walls only).
48. Ceiling height on the main floor is 10 feet high with a second floor ceiling height of 9' high.
49. Poured concrete floor in the basement with a floor drain by the furnace and in the cold room(s) as per plan.

PLUMBING

50. Upgraded ledgeback double compartment stainless steel sink in the kitchen with upgraded Moen chrome finish single lever faucet with pullout spray.
51. Laundry rooms on the main or second floors have single basin laundry tubs mounted with full base cabinets and upper cabinets for storage above.
52. All laundry rooms have hot and cold water and drain provisions for future automatic clothes washer.
53. Exterior water taps, with inside shut-off valves, located at the rear of the house and in the garage or front of the house (where applicable).
54. White lavatory sinks, water closets and bathtubs.
55. Luxurious freestanding tub for master bedroom ensuite as per plans and brochure.
56. Shower with prefabricated base and standard 2-panel framed acrylic door for family bath ensuite. Frameless shower door for master ensuite shower.
57. Premium Moen washerless chrome single lever faucets for all bathroom lavatory sinks with manufacturer's limited long-term warranty.
58. Moen chrome single lever pressure balance/temperature controlled shower faucets for safety and comfort.
59. All sinks and water closets have water shut-off valves for serviceability and convenience.
60. Full height shower backer board for ceramic tiles in all shower enclosures as per plan.
61. Efficient water saving water closets that comply with the most recent building codes.
62. Water supply and drain provisions for future dishwasher in the kitchen.
63. Rough-in drain provisions for future 3-piece washroom in the basement.

ELECTRICAL

64. All copper wiring throughout the home.
65. 200 amp electrical service with circuit breaker panel and rough-in for electric car charger in the garage.
66. White Decora switches and plugs throughout the house.
67. Interior light fixtures in every room, hallway and walk-in closets excluding living rooms or great rooms where switched wall receptacles are provided for future lamps.
68. Recessed shower potlight in all separate shower stalls.
69. All bathroom electrical receptacles with a ground fault detector circuit for safety around water.
70. An exterior weatherproof electrical receptacle in the rear yard and front porch (where applicable).
71. Split-circuit electrical outlets above the kitchen counter for future small appliances.
72. Heavy Duty cable and receptacle for future stove and dryer.
73. Interconnected smoke alarms on each level including the basement as per the Ontario Building Code.
74. Carbon Monoxide Detector(s) as per the Ontario Building Code.
75. Electrical outlet(s) in the garage ceiling for future garage door opener(s).

76. Front door electric door chime.
77. Rough-in central vacuum system (dropped to the basement) with dedicated electrical outlet in the attached garages or basement where applicable.
78. Rough-in electrical wire for future dishwasher in the kitchen.
79. Two-speed white kitchen exhaust fan vented to the outside (6" in diameter).
80. All bathrooms (with or without windows) have exhaust fans vented to the outside.
81. High efficiency, spark ignition, forced air gas furnace with set-back thermostats for the greatest savings, reliability and quite comfort. High Efficiency Natural Gas fired Water Heater (on a rental basis).
82. All supply ducts and return air ducts are sized and ready for future central air conditioning.

SMART HOME AUTOMATION FEATURES

83. One (1) Smart Home Hub controller.
84. One (1) front door smart doorbell camera with 2-way talk function.
85. One (1) smart thermostat, centrally located to control heating and cooling that can save money on utility bills.
86. One (1) flood sensor to notify you in the case of a flood and prevent further damage to your home.
87. One (1) smart light wall switch.
88. One (1) year free of smart home remote access and full home Smart System support.
89. Pre-Construction design consultation.
90. On-site system configuration test, enrollment and demonstration.
91. Rough-in telecommunications/network wiring in all bedrooms, kitchen and the family room or great room.
92. Please see flyer or speak to our sales agent for more details.

WARRANTY

Starlane Home Corporation is a registered TARION Homebuilder in good standing and every new home is enrolled in the TARION warranty program and the warranty includes:

- The home is free from defects in material and workmanship for one (1) year.
- The home remains free from defects in material and workmanship on electrical, plumbing, heating delivery and distribution systems, exterior cladding, caulking, windows and doors, and the building envelope and basement remains free from water penetration for two (2) years.
- The home is warranted against all major structural defects for seven (7) years.

CERTIFIED MASTER BUILDER

Starlane Home Corporation has been awarded the Certified Master Builder designation by the Residential Construction Council of Central Ontario (RESCON), this designation is awarded on the basis of:



- Outstanding efforts in the areas of construction and customer service.
- Recipients have, and continue to exceed the provisions of the Ontario Building Code.
- Starlane Home Corporation has been recognized as an exceptional low-rise builder within the industry.

NOTES

- All illustrations are artist's concepts.
- The purchaser acknowledges that the floor plan may be reversed.
- The purchaser acknowledges that the specifications, landscaping, finishes and furnishings etc. in the model home(s) or sales offices may be for display purposes only and may not be of the similar grade or type or not necessarily included in the purchase of the home.
- The vendor reserves the right to substitute materials that are of equal or better quality.
- The purchaser acknowledges that variations in colour and shade uniformity may occur in finished materials, kitchen and vanity cabinets and floor and wall finishes due to normal production processes. E. & O.E.

Riviera Series | FEATURES & FINISHES | 45' Singles

EXTERIOR

1. Basement foundation walls are poured concrete with heavy duty damp proofing and a superior free draining membrane wrap.
2. Poured concrete front porches with upgraded brick ledge precast steps as per plans and elevations, loose precast concrete steps will be used when grading requires less than three (3) steps.
3. Poured reinforced concrete garage floor slab.
4. The walkway from the driveway to the front entry and the rear patio (where applicable) are of patterned precast slabs.
5. All exterior wall construction is designed to meet or exceed all Ontario Building Code requirements; exterior walls will be of 2" x 6" wall studs.
6. Basement walls will be insulated near full height to R-20.
7. Attic insulation will be blown in at R-60 and exposed floors will be spray foamed to R-31.
8. All window and doorframes and building perforations are caulked with Dymeric type caulking.
9. All windows (excluding basement) are Energy Star rated white or coloured vinyl thermal pane casement windows with pre-finished white or coloured colonial bars (on front elevations only), as per exterior colour scheme. All operable windows to have insect screens.
10. Metal insulated front entry door with inset glass pane lite complete with weather stripping, deadbolt lock and grip set.
11. Pre-finished aluminum soffits, fascia, eavestroughs and downspouts.
12. Premium moulded paneled sectional roll up garage doors in a variety of enhanced designs with inset door lites (as per plans and elevations) with long life hardware.
13. Front, rear and side yards are fully sodded (where applicable, side yards may be gravel in lieu of sod at builder's discretion) and driveways (where applicable) are paved.
14. Self sealing quality architectural asphalt roof shingles with manufacturer's limited life-time warranty.
15. Steep roof pitches to enhance elevations.
16. Antique-style black finish coach lights on front elevations.
17. Dead bolt locks for all exterior swinging doors to dwelling units.
18. Pre-finished, long lasting front porch railings (if required by design or grade).
19. Friezeboards on front elevations as per plans and brochures.
20. All brick veneer construction is 100% all clay brick, elevations also feature cultured stone, stucco, aluminum siding and traditional wood detailing as per plans and elevations.
21. Brick veneer installed above all windows on side and rear elevations (where applicable as per plans and elevations).
22. Architecturally controlled elevations, materials, streetscapes and exterior colour schemes for the purpose of creating an aesthetically pleasing community.

INTERIOR

23. Cold Cellars as per plans.
24. All archways are flat and trimmed (where applicable) for added durability and are and are 8' high for the main floor and 7'-8" in height for the second floor (where applicable).
25. All interior wood trim and woodwork is primed and painted (choice of one) Birch or Oyster.
26. Choice of (one) interior passage locks; satin nickel knobs or satin nickel lever handle with privacy locks for all bathrooms. Front door gripset(s) in satin nickel.
27. Choice of smooth two panelled interior passage doors - square or curved top. Front exterior door and all main floor doors are 8' in height.
28. Ceiling for all main floor areas (excluding open to above areas) will have a smooth painted finish. Second floor areas (excluding bathrooms) will have a textured spray finish with smooth boarders.
29. Quality latex paint on interior walls (two selections per home) from builder's samples.
30. All closets have pre-finished melamine shelving and metal dowels.
31. Elegant Builder's quality constructed and furniture finished upgrade 2 kitchen cabinetry with full backing, underblocking and quality hardware. Colour matched kickplates, full gable ends and dummy doors on peninsulas and islands, flush or raised breakfast bars (as per plans where applicable).
32. Builder's standard selection quartz countertops in the kitchen and servery (where applicable) with builder's standard undermount stainless steel kitchen sink. Standard quartz countertops with standard undermount sink in the powder room and bathrooms.
33. Elegant 41 inch high upper kitchen cabinet doors with crown moulding.
34. Forty (40") tall mirrors above all vanities.
35. Colour matched ceramic accessories; towel bar, tissue dispenser and soap dish in all bathrooms.
36. Elegant natural finish or builder's standard selection stained finish oak stairs and railings with upgraded 3-1/2" newel posts and upgraded 1-3/4" oak pickets from basement to second floor.

37. Master bedrooms complete with an ensuite bathroom as per plans.
38. All drywall applied with screws, using a minimum number of nails and drywall clips for upper hall ceilings to minimize repairs in the future.
39. All sub-floors are tongue and groove; nailed and glued down.
40. Roof truss beams with hurricane ties to minimize truss uplift and repairs in the future.
41. The first and second floor will be framed with an engineered wood floor joist system for optimum performance and quality.
42. Builder's standard Gas Fireplace and Wood Mantel as per plans and brochures.
43. Heavy upgraded colonial trim with 3" wide casing with integral backband and 7-1/4" high baseboards.
44. Quality imported ceramic main floor tiles in the foyer, kitchen, breakfast area, powder room, main or second floor laundry rooms and throughout the main hall, where applicable as per our brochures.
45. Elegant 3-1/4" wide natural finish or builder's standard selection stained oak plank flooring throughout the main floor (where applicable) except for those areas covered by ceramic tile (as per brochures). 3-1/4" wide natural finish or builder's standard selection stained oak plank in the upper hall (as per brochures).
46. Builder's upgrade 2 high quality broadloom for second floor areas not covered by plank flooring or ceramic tile as per brochures.
47. Quality imported ceramic tile on upstairs bathroom floors, bathtub and shower enclosure walls up to and including the ceilings (except for deck tubs which include the full height walls only).
48. Basement Walls poured to a height of 8'6" high
49. Ceiling height on the main floor is 10 feet high with a second floor ceiling height of 9' high.
50. Poured concrete floor in the basement with a floor drain by the furnace and in the cold room(s) as per plan.
51. Open Stairs to basement with a finished landing (only, as per plans and brochures).

PLUMBING

52. Upgraded undermount double compartment stainless steel sink in the kitchen with upgraded Moen chrome finish single lever faucet with pullout spray.
53. Laundry rooms on the main or second floors have single basin laundry tubs mounted with full base cabinets and upper cabinets for storage above.
54. All laundry rooms have hot and cold water and drain provisions for future automatic clothes washer.
55. Exterior water taps, with inside shut-off valves, located at the rear of the house and in the garage or front of the house (where applicable).
56. White lavatory sinks, water closets and bathtubs.
57. Luxurious freestanding tub for master bedroom ensuite as per plans and brochure.
58. Shower with prefabricated base and standard 2-panel framed acrylic door for family bath ensuite. Frameless shower door for master ensuite shower.
59. Premium Moen washerless chrome single lever faucets for all bathroom lavatory sinks with manufacturer's limited long-term warranty.
60. Moen chrome single lever pressure balance/temperature controlled shower faucets for safety and comfort.
61. All sinks and water closets have water shut-off valves for serviceability and convenience.
62. Full height shower backer board for ceramic tiles in all shower enclosures as per plan.
63. Efficient water saving water closets that comply with the most recent building codes.
64. Water supply and drain provisions for future dishwasher in the kitchen.
65. Rough-in drain provisions for future 3-piece washroom in the basement.

ELECTRICAL

66. All copper wiring throughout the home.
67. 200 amp electrical service with circuit breaker panel and rough-in for electric car charger in the garage.
68. White Decora switches and plugs throughout the house.
69. Interior light fixtures in every room, hallway and walk-in closets excluding living rooms or great rooms where switched wall receptacles are provided for future lamps.
70. Recessed shower potlight in all separate shower stalls.
71. All bathroom electrical receptacles with a ground fault detector circuit for safety around water.
72. An exterior weatherproof electrical receptacle in the rear yard and front porch (where applicable).
73. Split-circuit electrical outlets above the kitchen counter for future small appliances.
74. Heavy Duty cable and receptacle for future stove and dryer.
75. Interconnected smoke alarms on each level including the basement as per the Ontario Building Code.

76. Carbon Monoxide Detector(s) as per the Ontario Building Code.
77. Electrical outlet(s) in the garage ceiling for future garage door opener(s).
78. Front door electric door chime.
79. Rough-in central vacuum system (dropped to the basement) with dedicated electrical outlet in the attached garages or basement where applicable.
80. Rough-in electrical wire for future dishwasher in the kitchen.
81. Two-speed white kitchen exhaust fan vented to the outside (6" in diameter).
82. All bathrooms (with or without windows) have exhaust fans vented to the outside.
83. High efficiency, spark ignition, forced air gas furnace with set-back thermostats for the greatest savings, reliability and quite comfort. High Efficiency Natural Gas fired Water Heater (on a rental basis).
84. All supply ducts and return air ducts are sized and ready for future central air conditioning.

SMART HOME AUTOMATION FEATURES

85. One (1) Smart Home Hub controller.
86. One (1) front door smart doorbell camera with 2-way talk function.
87. One (1) smart thermostat, centrally located to control heating and cooling that can save money on utility bills.
88. One (1) flood sensor to notify you in the case of a flood and prevent further damage to your home.
89. One (1) smart light wall switch.
90. One (1) year free of smart home remote access and full home Smart System support.
91. Pre-Construction design consultation.
92. On-site system configuration test, enrollment and demonstration.
93. Rough-in telecommunications/network wiring in all bedrooms, kitchen and the family room or great room.
94. Please see flyer or speak to our sales agent for more details.

WARRANTY

Starlane Home Corporation is a registered TARION Homebuilder in good standing and every new home is enrolled in the TARION warranty program and the warranty includes:

- The home is free from defects in material and workmanship for one (1) year.
- The home remains free from defects in material and workmanship on electrical, plumbing, heating delivery and distribution systems, exterior cladding, caulking, windows and doors, and the building envelope and basement remains free from water penetration for two (2) years.
- The home is warranted against all major structural defects for seven (7) years.

CERTIFIED MASTER BUILDER

Starlane Home Corporation has been awarded the Certified Master Builder designation by the Residential Construction Council of Central Ontario (RESCON), this designation is awarded on the basis of:



- Outstanding efforts in the areas of construction and customer service.
- Recipients have, and continue to exceed the provisions of the Ontario Building Code.
- Starlane Home Corporation has been recognized as an exceptional low-rise builder within the industry.

NOTES

- All illustrations are artist's concepts.
- The purchaser acknowledges that the floor plan may be reversed.
- The purchaser acknowledges that the specifications, landscaping, finishes and furnishings etc. in the model home(s) or sales offices may be for display purposes only and may not be of the similar grade or type or not necessarily included in the purchase of the home.
- The vendor reserves the right to substitute materials that are of equal or better quality.
- The purchaser acknowledges that variations in colour and shade uniformity may occur in finished materials, kitchen and vanity cabinets and floor and wall finishes due to normal production processes. E. & O.E.